


BOBINA PER CAVI ELETTRICI




Dimensioni in mm

TIPO	COD.	D1	D2	D3	L1	L2	S	PESO (kg) PS
BOBINA 400	R156	400	200	32 ^{+0.3}	230	200	15	1,730 ±2%
BOBINA 400 RINFORZATA	R249	400	200	32 ^{+0.3}	230	200	15	2,120 ±2%

Rev.	Data
2	05/03/24

BOBINA PER CAVI ELETTRICI




Dimensioni in mm

TIPO	COD.	D1	D2	D3	L1	L2	S
BOBINA 400	R295	400	200	26 ^{+0.3}	264	240	12

Rev.	Data
2	05/03/24

BOBINA PER CAVI ELETTRICI




Dimensioni in mm

TIPO	COD.	D1	D2	D3	L1	L2	S
BOBINA 500	R207	500	250	41	325	295	15
BOBINA 500	R469	500	250	60	325	295	15
BOBINA 500	R470	500	250	36	325	295	15
BOBINA 500	R307	500	250	41	340	294	23

Rev.	Data
2	11/10/23

BOBINA PER CAVI ELETTRICI




Dimensioni in mm

COD.	D1	D2	D3	L1	L2	S
R227	600	310	82	200	160	20
R311	600	310	82	240	200	20
R223	600	310	82	290	250	20
R312	600	310	82	325	285	20
R294	600	310	82	335	295	20
R123	600	310	82	340	300	20
R235	600	310	82	355	315	20
R313	600	310	82	360	320	20
R314	600	310	82	380	340	20
R225	600	310	82	440	400	20
R226	600	310	82	510	470	20

Rev.	Data
2	11/10/23

BOBINA





Dimensioni in mm

TIPO	COD.	D1	D2	D3	D4	D5	E1	L1	L2	L3
BOBINA	R360	400	200	32	36	20	100	234	193	20,5

Rev.	Data
2	11/10/23

BOBINA PER CAVI ELETTRICI




Dimensioni in mm

TIPO	COD.	D1	D2	D3	L1	L2	S
BOBINA	R384	400	125	32	100	80	10
BOBINA	R355	400	125	32	170	150	10
BOBINA	R354	400	160	42	320	300	10
BOBINA	R450	400	160	60	220	200	10
BOBINA	R402	400	160	80	320	300	10

Rev.	Data
2	11/10/23

BOBINA



Dimensioni in mm

TIPO	COD.	D1	D2	D3	L1	L2	S
BOBINA	R449	395	180	60	185	145	20

Rev.	Data
2	11/10/23